



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/664,001	09/18/2000	Masahito Tomizawa	032590-071	4632

7590 05/10/2004
Thelen Reid & Priest LLP
P.O. Box 640640
San Jose, CA 95164-0640

EXAMINER

DUONG, FRANK

ART UNIT	PAPER NUMBER
----------	--------------

2666

DATE MAILED: 05/10/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/664,001

Applicant(s)

TOMIZAWA ET AL.

Examiner

Frank Duong

Art Unit

2666

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 September 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 September 2000 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 3.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 2666

DETAILED ACTION

1. This Office Action is a response to the communication dated 9/18/2000. Claims 1-35 are pending in the application.

Priority

2. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

3. Applicant cannot rely upon the foreign priority papers to overcome this rejection because a translation of said papers has not been made of record in accordance with 37 CFR 1.55. See MPEP § 201.15.

Information Disclosure Statement

4. The information disclosure statement filed 6/12/2003 complies with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609. It has been considered and placed in the application file.

Drawings

5. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Art Unit: 2666

Specification

6. The disclosure is objected to because of the following informalities:

Page 2, line 19, "utilizationefficiency" should read --utilization efficiency--.

Page 3, line 1, "regenerationequalizing" should read --regeneration equalizing--.

Page 12, line 7 contains an embedded hyperlink and/or other form of browser-executable code. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 1-32 are rejected under 35 U.S.C. 112, first paragraph, as based on a single means claim ("*a transport system*"). A single means claim which covered every conceivable means for achieving the stated purpose was held noneabling for the scope of the claim because the specification disclosed at most only those means known to the inventor. See *In re Hyatt*, 708 F.2d 712, >714-715, <218 USPQ 195>, 197< (Fed. Cir. 1983).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 2666

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claims 1-16, 22, 29 and 32-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Doshi et al (IP over SONET, IEEE, pages 136-142, May 1998) (hereinafter "Doshi").

Regarding **claim 1**, in accordance with Doshi reference entirety, Doshi discloses a transport system (*Figure 6*) for transporting wavelength division multiplexed signals (WADM) by applying time division multiplexing (TDM) of a whole signal of a client including client overhead transparently (*Figure 6; Backbone router node and page 138, left column, second paragraph; Payload Transparency*) and attaching an additional overhead to said whole signal of said client (*page 141, left column, second paragraph, Doshi discloses in TDM systems, capacity scaling is achieved by increasing the rate of transmission*) and transporting a time-division-multiplexed signal represented by one wavelength containing an additional overhead from own network (*Figure 6; left-side WADM*) to another network (*Figure 6; right-side WADM*) (*page 141, left column, second paragraph, Doshi discloses with WDM, capacity scaling is done by transmitting multiple TDM signals, each with a different wavelength, on the same fiber*).

Regarding **claim 2**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said transport system is an optical transport system (*Figure 6*).

Regarding **claim 3**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said additional overhead contains

Art Unit: 2666

bits defining frame synchronization or channel selection (*page 137, left column; byte stuffing or page 139, left column, second paragraph; scrambler state*), and an insertion cycle of said bits is shorter than a frame cycle of client signals (*pages 138-139; discussion of dealing with malicious user*).

Regarding **claim 4**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said additional overhead contains bits defining error correction (FEC), and said system performs error correction (*page 139; left column; FEC*).

Regarding **claim 5**, in addition to features recited in base claim 4 (see rationales discussed above), Doshi further discloses wherein quality degradation of the signal or failure detection is performed by an error correction bit counter (*not shown; inherent as disclosed on page 139, left column, last two paragraph and page 140, right column, fourth paragraph*).

Regarding **claim 6**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said additional overhead contains bits defining data storage for applying negative stuffing to adjust a frequency of a client clock, and positive stuffing is applied by inserting said bits in a payload (*not shown; inherent in SONET byte stuffing technique; page 140, left column, IP over SONET Beyond OC-48 section*).

Regarding **claim 7**, in addition to features recited in base claim 6 (see rationales discussed above), Doshi further discloses wherein said additional overhead contains

Art Unit: 2666

bits defining stuffing information (*page 140, left column, IP over SONET Beyond OC-48 section*).

Regarding **claim 8**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said time division multiplexing is based on bit interleaving or byte interleaving (*page 137, right column, second paragraph*).

Regarding **claim 9**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said system contains option means for enabling each client to select automatic restore function for line failure (*page 141, right column, third paragraph; means for link rates and page 142, left column; fast restoration under failure*).

Regarding **claim 10**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said system directly accommodates a LAN interface from a client terminal and has a routing function for routing between low speed interfaces or to a low speed interface of an opposing apparatus (*page 141; Figure 6, Backbone router node and the interfaces disclosed therefrom*).

Regarding **claim 11**, in addition to features recited in base claim 10 (see rationales discussed above), Doshi further discloses wherein said time division multiplexing is performed after mapping low speed signals received from a client terminal to respective high speed channels (*page 141; Figure 6, Backbone router node and the interfaces disclosed therefrom*).

Art Unit: 2666

Regarding **claim 12**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein control of monitoring of input/output operations of low speed client signal is performed by analogue means (*page 140, left column, last paragraph*).

Regarding **claim 13**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said system is a ring type network (*page 141, right column, last paragraph*).

Regarding **claim 14**, in addition to features recited in base claim 13 (see rationales discussed above), Doshi further discloses wherein a cross connecting switch for selecting signal paths is comprised by a selector (*page 142, left column, third paragraph, Doshi discloses cross connecting switch. It is inherent the switch comprises a signal path selector*).

Regarding **claim 15**, in addition to features recited in base claim 13 (see rationales discussed above), Doshi further discloses wherein sub-network monitoring for one ring network is based on a simple network management protocol, known as SNMP (not shown; inherent because *SNMP is a standard management protocol in SONET network or packet network*).

Regarding **claim 16**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein, for multiplexing synchronized and non-synchronized signals (*page 141, right column; OC signals and IP, ATM*), said system is provided with a synchronizing section for attaching said additional overhead to a digital signal for use in positive and negative stuffing and

Art Unit: 2666

synchronizing the digital signal to a frequency of a network synchronizing clock to generate a synchronized digital signal (*not shown; inherent in Figure 6, WADM*); and a time division multiplexing section for time division multiplexing of the synchronized digital signal (*WDM TM*).

Regarding **claim 26**, in addition to features recited in base claim 1 (see rationales discussed above), Doshi further discloses wherein said system includes: a synchronization section for inserting an additional overhead to a digital signal, and applying positive stuffing according to said additional overhead so as to synchronize client frequency to an apparatus frequency (*Figure 6; WADM*); a time division multiplexing section for time division multiplexing the synchronized digital signal (*WDM TM*); and a multi/demultiplexing section for demultiplexing time division multiplexed synchronizes signal so as to restore an original digital signal (*Figure 6; at the receiving end*).

Regarding **claim 29**, in addition to features recited in base claim 26 (see rationales discussed above), Doshi further discloses wherein multiplexed signals are further subjected to optical time division multiplexing (*Figure 6*).

A transport system according to claim 27, wherein multiplexed signals are further subjected to wavelength division multiplexing.

Regarding **claim 32**, in addition to features recited in base claim 29 (see rationales discussed above), Doshi further discloses wherein multiplexed signals are further subjected to wavelength division multiplexing (*Figure 6*).

Art Unit: 2666

Regarding **claim 33**, in accordance with Doshi reference entirety, Doshi discloses a transport method (*Figure 6*) for transporting wavelength division multiplexed signals (WADM) by applying time division multiplexing (TDM) of a whole signal of a client including client overhead transparently (*Figure 6; Backbone router node*) and attaching an additional overhead to said whole signal of said client (*page 141, left column, second paragraph, Doshi discloses in TDM systems, capacity scaling is achieved by increasing the rate of transmission*) and transporting a time-division-multiplexed signal represented by one wavelength containing an additional overhead from own network (*Figure 6; left-side WADM*) to another network (*Figure 6; right-side WADM*) (*page 141, left column, second paragraph, Doshi discloses with WDM, capacity scaling is done by transmitting multiple TDM signals, each with a different wavelength, on the same fiber*).

Regarding **claim 34**, in addition to features recited in base claim 33 (see rationales discussed above), Doshi further discloses wherein, for multiplexing synchronized and non-synchronized signals, said method comprises additional steps of: adding an additional overhead to a digital signal, applying positive or negative stuffing according to overhead information, synchronizing a client frequency to a network frequency (*not shown; inherent in SONET byte stuffing technique; page 140, left column, IP over SONET Beyond OC-48 section*), and applying time division multiplexing (WDM TM) for transport of a digital signal to be demultiplexed by a receiving equipment to regenerate an original digital signal (*Figure 6*).

Art Unit: 2666

Regarding **claim 35**, in addition to features recited in base claim 33 (see rationales discussed above), Doshi further discloses wherein, for multiplexing synchronized and non-synchronized signals, said method comprises additional steps of: adding an additional overhead to a digital signal, applying positive stuffing according to overhead information, synchronizing frequencies (*not shown; inherent in SONET byte stuffing technique; page 140, left column, IP over SONET Beyond OC-48 section*), and applying time division multiplexing (WDM TM) for transport of a digital signal to be demultiplexed by a receiving equipment to regenerate all original digital signal (Figure 6).

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Azizoglu et al (USP 6,430,201).

Lindsey et al (USP 6,226,296).

Cheng et al (USP 6,151,336).

Tomizawa et al (EP 0,684,712).

Kobayashi et al, SDH-based 10 Gbit/s Optical Transmission System, IEEE, pages 1166-1170, 1991.

Turner, Terabit Burst Switching, Washington University, pages 1-36, 1997.

Seetharaman, IP over DWDM, Ohio State University, pages 1-19, 1999.

Art Unit: 2666

Project P918-GI, Integration of IP over Optical Networks: Networking and Management, Deliverable 1, pages 1-39, 1999.

Yamabayashi et al, Autonomously Controlled Multiprotocol Wavelength Switching Network for Internet Backbones, IEICE, pages 2210-2215, 2000.

Chandhok et al, IP over Optical Networks: A Summary of Issues, Internet Draft, pages 1-52, 2000.

CISCO SYSTEMS, Cisco 12000 Series Gigabit Switch Routers, pages 1-8, 1999.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank Duong whose telephone number is (703) 308-5428. The examiner can normally be reached on 7:00AM-3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on (703) 308-5463. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/664,001
Art Unit: 2666

Page 12

A handwritten signature in black ink, appearing to read "Frank Duong". The signature is fluid and cursive, with the first name "Frank" and last name "Duong" clearly distinguishable.

Frank Duong
Examiner
Art Unit 2666

April 30, 2004